

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3305	(254/4R,10R,47,266,271,283,89R,390,391,399,).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/05 11:41
L2	3282	L1 and @pd<"20041010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:42
L3	705	"187".clas. and "414".clas. and (car or carriage or automot\$5) and (rack or lift\$3 or elevat\$3 or rais\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:42
L4	427	L3 and (((dual or twin or two or opposing or double or second\$3 or other) near3 (tower or vertical\$2 or erect\$3 or support\$3 or member or element or structure or post or stand))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:42
L5	3275	L2 not L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:43
L6	189	L4 and (((attach\$4 or secur\$4 or mount\$4 or slid\$4 or insert\$4 or connect\$3) and (car or carriage or vehicle)) near5 (frame or chassis or body))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/05 11:43
L7	18	("2792913"   "3035812"   "3044747"   "3271006"   "4200419"   "4599034"   "4706458").PN. OR ("5184930").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/05 11:43
L8	33	("2792913"   "3035812"   "3044747"   "3271006"   "4200419"   "4599034"   "4706458").PN. OR ("5184930").URPN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:43
L9	3268	L5 not (L6 or L8 or L7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:44

L12	526	l9 and ((dual or twin or two or opposing or double or second\$3 or other) near\$3 (tower or vertical\$2 or erect\$3 or support\$3 or member or element or structure or post or stand))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:46
L13	0	l10 and (receiv\$3 or lift\$3 or rais\$3 or elevat\$3 or load\$3) adj (arm or member or beam or element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:47
L14	90	l12 and (receiv\$3 or lift\$3 or rais\$3 or elevat\$3 or load\$3) adj (arm or member or beam or element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 12:05
L15	436	l12 not L14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 12:06
L16	248	L15 and (cable or rope or wire) and (lift\$3 or hoist\$3 or elevat\$3) and (pulley or ratchet or sheave or spool or drum or winch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 12:07
L17	147	L16 and (angle or degree or percent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 12:08
S1	4476	((212/270,294,71,76) or (224/331) or (414/680,685,686,687) or (187/254,218,306,312)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/04 11:02
S2	0	("L1and(cableorropedorwire)and(lift\$3orhoist\$3orelevat\$3)and(pulleyorratchetorsheaveorspoolordrumorwinch)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/01/04 11:03
S3	726	S1 and (cable or rope or wire) and (lift\$3 or hoist\$3 or elevat\$3) and (pulley or ratchet or sheave or spool or drum or winch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 12:06
S4	689	S3 and @pd<"20041010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:41

S5	438	S4 and (portable or compact or mobile or light\$1weight or re\$1position\$4 or remov\$4 or "be stored" or "for storing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:06
S6	71	S5 and (receiv\$3 or lift\$3 or rais\$3 or elevat\$3 or load\$3) adj (arm or member or beam or element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:46
S7	234	S5 and (car or carriage or automo\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:39
S8	120	S7 and ((dual or twin or two or opposing or double or second\$3 or other) near3 (tower or vertical\$2 or erect\$3 or support\$3 or member or element or structure or post or stand))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:40
S9	323	S4 and ((dual or twin or two or opposing or double or second\$3 or other) near3 (tower or vertical\$2 or erect\$3 or support\$3 or member or element or structure or post or stand))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:20
S10	203	S9 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:20
S11	180	S10 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:20
S12	617604	(car or carriage or automo\$5) and (rack or lift\$3 or elevat\$3 or rais\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:39
S13	705	"187".clas. and "414".clas. and (car or carriage or automo\$5) and (rack or lift\$3 or elevat\$3 or rais\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 11:40

S14	427	S13 and ((dual or twin or two or opposing or double or second\$3 or other) near3 (tower or vertical\$2 or erect\$3 or support\$3 or member or element or structure or post or stand))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/05 11:45
S15	1	("5800114").PN. OR ("6315079").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 13:50
S16	0	("0747535").PN.	EPO; JPO; DERWENT	OR	OFF	2006/01/04 12:26
S17	189	S14 and (((attach\$4 or secur\$4 or mount\$4 or slid\$4 or insert\$4 or connect\$3) and (car or carriage or vehicle)) near5 (frame or chassis or body))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 13:53
S18	18	("2792913"   "3035812"   "3044747"   "3271006"   "4200419"   "4599034"   "4706458").PN. OR ("5184930").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/04 14:47
S19	33	("2792913"   "3035812"   "3044747"   "3271006"   "4200419"   "4599034"   "4706458").PN. OR ("5184930").URPN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/04 14:47